


LAGERBESTANDSLISTE

September 2017

Stand: 11.09.2017




Sorte DH, phosphatiert, EN 10270-1



84010-0020-220	DH, D:0,2, KSP20	27,00 kg
84010-0022-840	DH, D:0,22, KSP40	0,00 kg
84010-0025-830	DH, D:0,25, KSP30	0,00 kg
84010-0028-835	DH, D:0,28, KSP35	0,00 kg
84010-0028-840	DH, D:0,28, KSP40	0,00 kg
84010-0030-835	DH, D:0,3, KSP35	668,00 kg
84010-0032-835	DH, D:0,32, KSP35	0,00 kg
84010-0034-840	DH, D:0,34, KSP40	0,00 kg
84010-0035-835	DH, D:0,35, KSP35	0,00 kg
84010-0036-835	DH, D:0,36, KSP35	420,00 kg
84010-0038-835	DH, D:0,38, KSP35	109,00 kg
84010-0040-840	DH, D:0,4, KSP40	0,00 kg
84010-0045-840	DH, D:0,45, KSP40	0,00 kg
84010-0048-840	DH, D:0,48, KSP40	107,00 kg
84010-0050-840	DH, D:0,5, KSP40	387,00 kg
84010-0053-105	DH, D:0,53, R50	0,00 kg
84010-0055-835	DH, D:0,55, KSP35	0,00 kg
84010-0056-105	DH, D:0,56, R50	0,00 kg
84010-0056-835	DH, D:0,56, KSP35	665,00 kg
84010-0058-105	DH, D:0,58, R50	250,00 kg
84010-0060-105	DH, D:0,6, R50	750,00 kg
84010-0060-835	DH, D:0,60, KSP35	210,00 kg
84010-0063-840	DH, D:0,63, KSP40	0,00 kg
84010-0063-835	DH, D:0,63, KSP35	385,00 kg
84010-0065-105	DH, D:0,65, R50	300,00 kg
84010-0065-240	DH, D:0,65, KSP40	0,00 kg
84010-0070-105	DH, D:0,7, R50	349,00 kg
84010-0075-104	DH, D:0,75, R40	424,00 kg
84010-0075-105	DH, D:0,75, R50	400,00 kg
84010-0080-105	DH, D:0,8, R50	512,00 kg
84010-0085-105	DH, D:0,85, R50	250,00 kg
84010-0090-105	DH, D:0,9, R50	451,00 kg
84010-0095-105	DH, D:0,95, R50	503,00 kg
84010-0100-110	DH, D:1, R100	0,00 kg
84010-0100-105	DH, D:1, R50	863,00 kg
84010-0110-110	DH, D:1,1, R100	303,00 kg
84010-0110-105	DH, D:1,1, R50	400,00 kg
84010-0120-110	DH, D:1,2, R100	0,00 kg
84010-0125-110	DH, D:1,25, R100	311,00 kg
84010-0130-110	DH, D:1,3, R100	1648,00 kg
84010-0140-110	DH, D:1,4, R100	1619,00 kg
84010-0150-110	DH, D:1,5, R100	701,00 kg
84010-0160-110	DH, D:1,6, R100	0,00 kg
84010-0170-110	DH, D:1,7, R100	0,00 kg
84010-0180-110	DH, D:1,8, R100	1075,00 kg
84010-0180-425	DH, D:1,8, MSP250	255,50 kg
84010-0190-110	DH, D:1,9, R100	649,00 kg
84010-0200-120	DH, D:2, R200	0,00 kg
84010-0210-120	DH, D:2,1, R200	588,00 kg
84010-0220-120	DH, D:2,2, R200	207,00 kg
84010-0225-120	DH, D:2,25, R200	421,00 kg
84010-0230-120	DH, D:2,3, R200	207,00 kg
84010-0240-125	DH, D:2,4, R250	506,00 kg
84010-0250-125	DH, D:2,5, R250	0,00 kg
84010-0260-125	DH, D:2,6, R250	1054,00 kg
84010-0280-125	DH, D:2,8 R250	335,00 kg
84010-0300-130	DH, D:3,0, R300	692,00 kg
84010-0320-130	DH, D:3,2, R300	624,00 kg
84010-0350-130	DH, D:3,5, R300	633,00 kg
84010-0360-130	DH, D:3,6, R300	604,00 kg
84010-0400-130	DH, D:4,0, R300	0,00 kg
84010-0450-130	DH, D:4,5, R300	750,00 kg

Sorte SH, phosphatiert, EN 10270-1

84020-0030-835	SH, D:0,30, KSP35	174,90 kg
84020-0050-230	SH, D:0,5, KSP30	56,00 kg
84020-0350-130	SH, D:3,5, R300	1833,60 kg



Sorte SH, ALUMAR (Zn-Al), EN 10270-1

84022-0090-105	SH, ALUMAR, D:0,9, R50	102,00 kg
84022-0110-110	SH, ALUMAR, D:1,1, R100	379,00 kg
84022-0130-110	SH, ALUMAR, D:1,3, R100	1183,00 kg
84022-0250-120	SH, ALUMAR, D:2,5, R200	1466,00 kg

Sorte SM, phosphatiert, EN 10270-1

84030-0075-105	SM, D:0,75, R50	33,60 kg
84030-0100-105	SM, D:1, R50	0,00 kg
84030-0110-425	SM, D:1,1, MSP250	253,80 kg
84030-0120-110	SM, D:1,2, R100	105,10 kg

Wst.-Nr. 1.4310, pulverbeschichtet, EN 10270-3



85010-0020-220	302NS, D:0,2, KSP20	0,00 kg
85010-0025-220	302NS, D:0,25, KSP20	0,00 kg
85010-0030-230	302NS, D:0,3, KSP30	0,00 kg
85010-0032-230	302NS, D:0,32, KSP30	0,00 kg
85010-0034-230	302NS, D:0,34, KSP30	0,00 kg
85010-0035-230	302NS, D:0,35, KSP30	174,00 kg
85010-0036-230	302NS, D:0,36, KSP30	0,00 kg
85010-0040-230	302NS, D:0,40, KSP30	0,00 kg
85010-0043-230	302NS, D:0,43, KSP30	0,00 kg
85010-0045-230	302NS, D:0,45, KSP30	0,00 kg
85010-0046-420	302NS, D:0,46, MSP200	576,20 kg
85010-0050-230	302NS, D:0,5, KSP30	510,00 kg
85010-0055-230	302NS, D:0,55, KSP30	142,50 kg
85010-0056-230	302NS, D:0,56, KSP30	0,00 kg
85010-0060-230	302NS, D:0,6, KSP30	0,00 kg
85010-0062-410	302NS, D:0,62, MSP100	194,40 kg
85010-0063-230	302NS, D:0,63, KSP30	0,00 kg
85010-0063-413	302NS, D:0,63, MSP130	0,00 kg
85010-0065-230	302NS, D:0,65, KSP30	45,00 kg
85010-0070-230	302NS, D:0,7, KSP30	570,00 kg
85010-0075-230	302NS, D:0,75, KSP30	0,00 kg
85010-0080-105	302NS, D:0,8, R50	400,00 kg
85010-0080-135	302NS, D:0,8, R35	0,00 kg
85010-0085-425	302NS, D:0,85, MSP250	149,00 kg
85010-0090-105	302NS, D:0,9, R50	233,00 kg
85010-0090-230	302NS, D:0,9, KSP30	0,00 kg
85010-0095-105	302NS, D:0,95, R50	547,00 kg
85010-0100-105	302NS, D:1,0, R50	1250,00 kg
85010-0110-105	302NS, D:1,1, R50	398,00 kg
85010-0120-105	302NS, D:1,2, R50	180,00 kg
85010-0125-105	302NS, D:1,25, R50	210,00 kg
85010-0130-105	302NS, D:1,3, R50	728,00 kg
85010-0130-425	302NS, D:1,3, MSP250	0,00 kg
85010-0140-105	302NS, D:1,4, R50	742,00 kg
85010-0150-105	302NS, D:1,5, R50	553,00 kg
85010-0160-110	302NS, D:1,6, R100	1112,00 kg
85010-0170-110	302NS, D:1,7, R100	313,00 kg
85010-0170-425	302NS, D:1,7, MSP250	0,00 kg
85010-0175-110	302NS, D:1,75, R100	510,00 kg
85010-0180-110	302NS, D:1,8, R100	968,00 kg
85010-0190-110	302NS, D:1,9, R100	0,00 kg
85010-0200-110	302NS, D:2, R100	1991,00 kg
85010-0205-120	302NS, D:2,05, R200	0,00 kg
85010-0210-120	302NS, D:2,1, R200	755,00 kg
85010-0220-120	302NS, D:2,2, R200	610,00 kg
85010-0225-120	302NS, D:2,25, R200	0,00 kg
85010-0240-110	302NS, D:2,4, R100	985,00 kg
85010-0240-120	302NS, D:2,4, R200	597,00 kg
85010-0250-120	302NS, D:2,5, R200	1480,00 kg
85010-0260-120	302NS, D:2,6, R200	643,00 kg
85010-0280-125	302NS, D:2,8, R250	0,00 kg
85010-0280-120	302NS, D:2,8, R200	997,00 kg
85010-0300-120	302NS, D:3, R200	1083,00 kg
85010-0320-120	302NS, D:3,2, R200	1772,00 kg
85010-0350-120	302NS, D:3,5, R200	403,00 kg
85010-0360-120	302NS, D:3,6, R200	1901,00 kg
85010-0380-125	302NS, D:3,8, R250	245,00 kg
85010-0400-120	302NS, D:4, R200	2632,00 kg
85010-0450-120	302NS, D:4,5 R200	0,00 kg
85010-0500-120	302NS, D:5, R200	0,00 kg
85010-0550-120	302NS, D:5,5, R200	0,00 kg
85010-0560-130	302NS, D:5,6, R300	0,00 kg

Wst.-Nr. 1.4310, poliert, EN 10270-3

85011-0220-110	302NS, D:2,2, R100	138,00 kg
----------------	--------------------	-----------

Wst.-Nr. 1.4310, blankgezogen, EN 10270-3

85012-0026-303	302NS, D:0,26, KSP3	9,00 kg
85012-0045-235	302NS, D:0,45, KSP35	105,00 kg
85012-0060-235	302NS, D:0,6, KSP35	209,00 kg

Wst.-Nr. 1.4310, nickelbeschichtet, EN 10270-3

85013-0035-212	302NS, D:0,35, KSP12	24,00 kg
85013-0150-110	302NS, D:1,5, R100	200,40 kg

Wst.-Nr. 1.4310, nickelpoliert, EN 10270-3

85014-0036-215	302NS, D:0,36, KSP15	30,00 kg
85014-0040-235	302NS, D:0,4, KSP35	140,00 kg
85014-0045-235	302NS, D:0,45, KSP35	312,90 kg
85014-0060-235	302NS, D:0,6, KSP35	140,00 kg

Wst.-Nr. 1.4310 HS, pulverbeschichtet, EN 10270-3

85020-0040-230	302HS, D:0,4, KSP30	28,10 kg
85020-0050-230	302HS, D:0,5, KSP30	31,50 kg
85020-0085-105	302HS, D:0,85, R50	52,40 kg
85020-0100-110	302HS, D:1, R100	97,40 kg
85020-0120-105	302HS, D:1,2, R50	108,00 kg



Wst.-Nr. 1.4401, pulverbeschichtet, EN 10270-3

85030-0090-105	316, D:0,9, R50	138,50 kg
85030-0140-110	316, D:1,4, R100	102,40 kg

Wst.-Nr. 1.4401, poliert, EN 10270-3

85031-0300-120	316, D:3,0, R200	386,00 kg
----------------	------------------	-----------

Wst.-Nr. 1.4568, pulverbeschichtet, EN 10270-3

85040-0028-212	631, D:0,28, KSP12	120,00 kg
85040-0032-212	631, D:0,32, KSP12	12,10 kg
85040-0040-235	631, D:0,4, KSP35	35,00 kg
85040-0070-105	631, D:0,7, R50	300,00 kg
85040-0070-235	631, D:0,7, KSP35	71,30 kg
85040-0095-105	631, D:0,95, R50	176,00 kg
85040-0130-107	631, D:1,3, R75	150,00 kg
85040-0210-110	631, D:2,1, R100	113,00 kg

Wst.-Nr. 1.4571, poliert, EN 10088-1

85051-0095-105	316Ti, D:0,95, R50	54,00 kg
85051-0110-105	316Ti, D:1,1, R50	60,50 kg
85051-0130-110	316Ti, D:1,3, R100	100,40 kg
85051-0140-110	316Ti, D:1,4, R100	266,50 kg

